

RFQ FORM

ElectroStop™ Fitting	"DUAL" O-RING SEAL ISOLATION FITTING		
Quantity			
Size - inch or DN			
ANSI/ASME Class			
Pipe Thickness - Inch (mm)			
Pups API 5L Specify Grade B, X-52, X-60, x-70 etc.			
Body ASTM A105 / EN10297-1 Body ASTM A216/A105/A694 Grade F42, F46, F52			
Fitting Length - Inch (mm)	<input type="checkbox"/> Std Per Literature <input type="checkbox"/> Other - Specify		
Specification	If different from GPT standard, please provide as attachment		
Media - Specify			
Design Factor	Standard = 0.5 - Specify if other required		
Design Pressure psig or (Barg)	<input type="checkbox"/> psig <input type="checkbox"/> Barg	<input type="checkbox"/> psig <input type="checkbox"/> Barg	<input type="checkbox"/> psig <input type="checkbox"/> Barg
Design Temperature -20° to 212°F (-28° to 100°C)	<input type="checkbox"/> Std -20°F (-28°C) to +212°F (100°C) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std -20°F (-28°C) to +212°F (100°C) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std -20°F (-28°C) to +212°F (100°C) <input type="checkbox"/> Other - Specify
Coating - External	<input type="checkbox"/> Epoxy .012-.019" (.30 to .48mm) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Epoxy .012-.019" (.30 to .48mm) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Epoxy .012-.019" (.30 to .48mm) <input type="checkbox"/> Other - Specify
Lining - Internal	<input type="checkbox"/> Epoxy .010-.016" (.25 to .40mm) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Epoxy .010-.016" (.25 to .40mm) <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Epoxy .010-.016" (.25 to .40mm) <input type="checkbox"/> Other - Specify
Lifting Lugs Specify if Required	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No
NDT Data Sheet			
NDE W3 Closure weld	<input checked="" type="checkbox"/> MT <input checked="" type="checkbox"/> UT - ASME Sec. V & ASME BPV Sec. VIII API 1104		
NDE W1/W2 weld	<input checked="" type="checkbox"/> MT <input checked="" type="checkbox"/> UT <input type="checkbox"/> RT - ASME Sec. V & ASME BPV Sec. VIII API 1104		
Pneumatic Air Test psi or (Barg)	<input checked="" type="checkbox"/> Std = 87 psi for 10 minute <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std = 87 psi for 10 minute <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std = 87 psi for 10 minute <input type="checkbox"/> Other - Specify
Hydrostatic Test psi or (Barg)	<input checked="" type="checkbox"/> Std = 1.5 x Operating Pressure <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std = 1.5 x Operating Pressure <input type="checkbox"/> Other - Specify	<input type="checkbox"/> Std = 1.5 x Operating Pressure <input type="checkbox"/> Other - Specify
Electric Insulation Resistance	<input checked="" type="checkbox"/> Std = >25 MΩ @ 1000 V DC <input type="checkbox"/> Other - Specify		
Dielectric Strength Test	<input checked="" type="checkbox"/> Std = 5kV A.C. 60 Hz (max leakage 3mA) (Note: Average dielectric strength > 15kv) <input type="checkbox"/> Other - Specify		
Issued By:	Company: Name: E-mail: Phone:	Date Sent: Date Required:	

Garlock Pipeline Technologies is dedicated to innovating and introducing the best products for sealing, connecting and protecting the world's pipelines. Our desire to be the supplier of choice for the pipeline industry is exhibited through our commitment to employing a technically proficient sales force, our large staff of R&D, process and application engineers, and our solid network of distributors that maintain commonly purchased stock.

GPT 1:1 .09.2017



www.gptindustries.com

4990 Iris Street
Wheat Ridge, CO 80033
Tel: (303) 988-1242
Fax: (303) 988-1922

6455 Clara Road, Suite 300
Houston, TX 77041
Tel: (713) 747-6948
Fax: (713) 747-6029

2 Woodlands Sector 1
#03-11 Woodlands Spectrum 1
Singapore 738068
Republic of Singapore

Unit 3-5, Chester Road
Colmworth Business Park
Eaton Socon, St. Neots
Cambridgeshire, PE 19 8YT

Oilfields Supply Center Ltd.
Executive Office 4, PO Box 1518
Jebel Ali Free Zone, Dubai
United Arab Emirates